



# TarBuster<sup>®</sup>

## Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015) Revision date: 2025-10-09 Version: 2.0

## **SECTION 1: Identification**

## 1.1. Product identifier

Product form Mixture Trade name TarBuster® Product group Trade product

## 1.2. Recommended use and restrictions on use

No additional information available

## 1.3. Supplier

BioChem Systems, Inc. Canadian Office: 480 Wildwood Forest Drive Refined Technologies, Inc.

99 Pembina Rd. Suite 400

Spring, TX 77380 Sherwood Park, AB T8H OJ4, Canada

1 (800) 777-7870 780-449-1060

#### 1.4. Emergency telephone number

Emergency number : PERS - (800) 633-8253

#### **SECTION 2: Hazard identification**

#### 2.1. Classification of the substance or mixture

#### Classification (GHS CA)

Flammable liquids, Category 3 Flammable liquid and vapour H226 Skin corrosion/irritation, Category 2 H315 Causes skin irritation Serious eye damage/eye irritation, Category 2 H319 Causes serious eye irritation Skin sensitization, Category 1 H317 May cause an allergic skin reaction May be fatal if swallowed and enters airways Aspiration hazard, Category 1 H304

## 2.2. GHS Label elements, including precautionary statements

#### GHS CA labeling

Hazard pictograms (GHS CA)







Signal word (GHS CA) Danger

Hazard statements (GHS CA) : H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

Precautionary statements (GHS CA) P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take action to prevent static discharges. P261 - Avoid breathing mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, chemical goggles, & face protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P331 - Do NOT induce vomiting.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS CA)

No data available

## TarBuster<sup>®</sup>

## Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	Weight %	GHS-CAN classification
Terpene hydrocarbons*	Proprietary*	60-100*	Flam. Liq 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp Tox. 1, H304 Aquatic Chronic 2, H411
Nonionic surfactant*	Proprietary*	1-10*	Eye Dam. 1, H318 Skin Irrit. 2, H315
Amides, tall-oil fatty, N,N-bis(hydroxyethyl)	Proprietary*	0 - 2*	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret. Claim for Exemption HMIRA Registry Number XXX

## **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get
	i i
	medical attention. If breathing is difficult, supply oxygen. If breathing has stopped, give artificial
	respiration.

First-aid measures after skin contact	: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at
	least 15 minutes. Get medical attention immediately

First-aid measures general If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor

in attendance. Wash contaminated clothing before re-use. Never give anything to an

unconscious person

## 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects	<ul> <li>May be fatal if swallowed and enters air</li> </ul>	wavs. Causes skin irritation. Causes serious eve

irritation. May cause an allergic skin reaction. Symptoms/effects after inhalation May be fatal if swallowed and enters airways.

Symptoms/effects after skin contact Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact Causes serious eye irritation.

Symptoms/effects after ingestion May be fatal if swallowed and enters airways

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

Carbon dioxide. Foam. Dry powder. Sand. Suitable extinguishing media

#### 5.2. Unsuitable extinguishing media

No additional information available

## 5.3. Specific hazards arising from the hazardous product

Combustible liquid and vapour. Fire hazard Explosion hazard Product is not explosive.

## 5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Do not dispose of fire-fighting water in the environment. Prevent human exposure to fire, fumes, smoke and products of combustion.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection. Self-

contained breathing apparatus.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Use special care to avoid static electric charges. Avoid breathing fumes or vapours. No flames, no sparks. Eliminate all sources

of ignition.

2025-10-09 TarBuster® 2/6

## TarBuster<sup>®</sup>

## Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)

#### 6.2. Methods and materials for containment and cleaning up

For containment

Sweep or shovel spills into appropriate container for disposal. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up

Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Wash spill area thoroughly with plenty of soap and water. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Notify authorities if product enters sewers or public waters.

#### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Provide good ventilation in process area to prevent formation of vapour. Do not breathe vapours, mist. Keep container tightly closed in a cool place. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Incompatible materials

Store in dry, cool, well-ventilated area. Keep cool. Protect from sunlight. Keep away from heat,

hot surfaces, sparks, open flames and other ignition sources. No smoking. Strong oxidizing agents. Strong acids.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Provincial/Territorial OEL Values located within:

Alberta: Occupational Health and Safety Code, 2009

British Columbia: Occupational Health and Safety Regulation Guideline, 2016 Northwest Territories: Occupational Health and Safety Regulations, 2015 Nunavut: Consolidation of Occupational Health and Safety Regulations, 2016

Ontario: Occupational Health and Safety Act, Regulation 833

Quebec: Regulation Respecting Occupational Health and Safety, S-2.1, r. 13 Saskatchewan: The Occupational Safety and Health Regulations, 1996

Yukon: Occupational Health and Safety Act RSY 2002, c.159; amended by SY 2005, c.4; SY 2009, c.21; SY 2010, c.12

New Brunswick: ACGIH values (1997 version)

Manitoba; Newfoundland and Labrador; Nova Scotia; Prince Edward Island: ACGIH (current version)

Terpene hydrocarbons*	
All provinces	OELs not established
Remark (ACGIH)	OELs not established
Remark (OSHA)	OELs not established
Nonionic surfactant*	
All provinces	OELs not established
Amides, tall-oil fatty, N,N-bis(hydroxyethyl)	
All provinces	OELs not established

#### 8.2. Exposure controls

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Hand protection

Safety glasses. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.

Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard regulation. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl.

Eye protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Protective safety glasses recommended.

Skin and body protection

: Wear long sleeves, and PPE/coveralls to minimize bodily exposure.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Liquid Colour

Slightly yellow Floral/Pine/Citrus Odour Odour threshold No data available

2025-10-09 TarBuster® 3/6

## TarBuster®

## Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)

7.5 - 8.5 (10% solution) Melting point No data available Freezing point No data available Boiling point 334 °F (167 °C) Flash point 130 °F (54 °C) Relative evapouration rate (butyl acetate=1) No data available Flammability (solid, gas) No data available < 2 mm Hg @ 20 °C Vapour pressure Relative vapour density at 20 °C No data available No data available Relative density Density 0.863

Solubility No data available Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity, kinematic No data available Viscosity, dynamic No data available **Explosion limits** No data available No data available Explosive properties

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

Reactivity : No dangerous reactions known under normal conditions of use.

Chemical stability : Stable under recommended handling and storage conditions (see section 7).

Possibility of hazardous reactions : No data available.

Conditions to avoid : No flames, no sparks. Eliminate all sources of ignition. Elevated temperature. Prevent vapour

accumulation.

Incompatible materials : Acids. Strong oxidizing agents.

Hazardous decomposition products : Carbon oxides (CO, CO2). Toxic fumes. Hardening time: : No additional information available

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Nonionic surfactant*	
LD50 oral rat	1310 mg/kg
LD50 oral	657.2 mg/kg body weight Animal: rabbit, Animal sex: male, Guideline: other:, Remarks on results: other:, 95% CL: 265 - 1664,2
LC50 Inhalation - Rat (Dust/Mist)	0.52 – 1.03 mg/l
ATE CA (oral)	1310 mg/kg body weight

## Terpene hydrocarbons\*

To post of the second of the s	
LD50 oral rat	> 2000 mg/kg Source: KOSHAMSDS
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	2000 mg/kg Source: KOSHAMSDS

Skin corrosion/irritation : Causes skin irritation. pH: 7.5 - 8.5
Serious eye damage/irritation : Causes serious eye irritation. pH: 7.5 - 8.5
Respiratory or skin sensitization : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogonicity : Not classified

Carcinogenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/effects : May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye

irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways

## **SECTION 12: Ecological information**

Symptoms/effects after inhalation

### 12.1. Toxicity

Ecology - general : No information available.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

2025-10-09 TarBuster® 4/6

## TarBuster®

## Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

## 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available

#### 12.5. Other adverse effects

Ozone : Not classified

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste treatment methods : Obtain the conser

: Obtain the consent of pollution control authorities before discharging to wastewater treatment plants. No discharges to surface waters are allowed without authorization under the Wastewater Systems Effluent Regulations. Follow all national, provincial and local requirements for wastewater discharge.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

## **SECTION 14: Transport information**

In accordance with TDG / DOT / IMDG / IATA

#### 14.1. UN number

UN-No. (TDG)	:	2319
DOT NA No	:	2319
UN-No. (IMDG)	:	2319
UN-No. (IATA)	:	2319

## 14.2. UN proper shipping name

Proper Shipping Name (TDG) : TERPENE HYDROCARBONS, N.O.S.
Proper Shipping Name (DOT) : Terpene hydrocarbons, n.o.s.
Proper Shipping Name (IMDG) : TERPENE HYDROCARBONS, N.O.S.
Proper Shipping Name (IATA) : Terpene hydrocarbons, n.o.s.

### 14.3. Transport hazard class(es)

#### TDG

Transport hazard class(es) (TDG) : 3
Hazard labels (TDG) : 3

DOT

Transport hazard class(es) (DOT) : 3
Hazard labels (DOT) : 3

IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3
:

IATA

Transport hazard class(es) (IATA) : 3
Danger labels (IATA) : 3







## 14.4. Packing group

Packing group (TDG) : III
Packing group (DOT) : III
Packing group (IMDG) : III
Packing group (IATA) : III

## 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

#### TDG

UN-No. (TDG) : UN2319
Explosive Limit and Limited Quantity Index : 5 L
Excepted quantities (TDG) : E1
Passenger Carrying Road Vehicle or Passenger : 60 L
Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 128

2025-10-09 TarBuster® 5/6

## TarBuster®

## Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)

Other information : In accordance with TDG Part 9: Consignments of dangerous goods that originate in the

United States... can be transported in Canada under the requirements of 49 CFR. However, consignments that originate in Canada are not permitted under these Regulations. The shipping document that accompanies the dangerous goods must include a notation that the dangerous goods safety marks are in accordance with 49 CFR, the ICAO Technical

Instructions or the IMDG Code

DOT (TDG) Class: Not Regulated Hazard Class: Not Applicable UN No.: Not Applicable

DOT

UN-No.(DOT) : UN2319

DOT Special Provisions : Non-Bulk Domestic Ground: This material is not regulated for domestic ground shipments by

the U.S. Department of Transportation (DOT) when transported in non-bulk (a packaging which has a maximum capacity of 119 gallons or less as a receptacle for a liquid). Reference 49 CFR 173.120(b) (2) and 173.150 (f) (1). In summary, for non-bulk domestic ground

shipments:

DOT Class: Not Regulated Hazard Class: Not Applicable UN No.: Not Applicable

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail (49: 60 L
CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

**IMDG** 

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS

Stowage category (IMDG) : A

Flash point (IMDG) : 32°C to 49°C c.c.

Properties and observations (IMDG) : Colourless or yellowish liquids. Flashpoint: 32°C to 49°C c.c. Immiscible with water.

IATA

PCA Excepted quantities (IATA) E1 PCA Limited quantities (IATA) Y344 PCA limited quantity max net quantity (IATA) 10L PCA packing instructions (IATA) 355 PCA max net quantity (IATA) 60L CAO packing instructions (IATA) 366 CAO max net quantity (IATA) 220L ERG code (IATA) 3L

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. National regulations

#### TarBuster®

All chemical substances in this product are listed on the Canadian Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL) or are exempt.

## 15.2. International regulations

#### TarBuster®

All chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021 or are otherwise exempt, or regulated by other agencies such as FDA or FIFRA

## **SECTION 16: Other information**

Revision date : 09 October 2025

Other information : Revised by: Regulatory & Compliance.

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

2025-10-09 TarBuster® 6/6